



Materials Engineering Branch

TIP*



No. 099 Effects of Low Earth Orbit on Spacecraft Materials

Author(s): Carl L. Haehner & Joseph A. Colony

Contact: (301) 286-6882

Recovery of flight hardware from the Solar Maximum Mission Spacecraft, after long exposure to Low Earth Orbit (LEO) environment, revealed more degradation of external spacecraft materials than had been expected. Similar degradation was observed on subsequent Shuttle flights and other experiments were subsequently flown to investigate this effect on a large variety of materials. The degradation appeared as changes in physical and chemical properties and surface morphology as well as considerable weight loss in some cases.

The effect has been attributed to interactions with atomic oxygen, which is the predominant atmospheric species present in the rarified atmosphere from 200 to 600 km or LEO (see Figure 1). It has also been shown that the degradation occurs predominantly on materials exposed to the forward velocity vector of the spacecraft (ram direction). In addition to being orientation dependent, the extent of degradation is directly related to the type of material. Although present knowledge is very limited, the following generalizations are appropriate:

- Carbon is very susceptible to attack.
- Polymers such as Kapton, Mylar, Lexan (polycarbonate) and polyethylene are susceptible to attack.
- Perfluorinated polymers, such as Teflon, appear more stable.
- Silicone polymers appear to be fairly stable.
- The stability of filled polymers is related to the characteristics of the filler.
- Metals appear to be stable (except for osmium, silver and possibly copper).
- Metal oxides (Al_2O_3 , SiO_2 , etc) that are used for thermal control appear to be stable.
-

When considering materials for exposed surfaces in LEO, this degradation phenomenon cannot be ignored.




Figure 1. Atmospheric Composition as a function of altitude (Ref. 1).

References:

1. Peplinski, D., Arnold, G. and Borson, E., "Satellite Exposure to Atomic Oxygen in Low Earth Orbit", Proceedings 13th NASA/AIAA/ASTM Space Simulation conference, Orlando, FL, NASA Conference Publication 2340, October, 1984.
2. Leger, L., Visentine, J. and Kuminecz, J., "Low Earth Orbit Oxygen Effects on Surfaces", Proceedings AIAA 22nd Aerospace Sciences Meeting, Paper No. 84-0548, Reno, NV, January 1984.
3. Maag, C., "Atomic Oxygen Fluence Monitor", "NASA New Technology Report, December, 1984.